

SAFETY DATA SHEET

Issue No: 1.4	Revision date: 8 March 2023 First print date: 15 September 2014
---------------	--

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:	PROPICURE 250 EC
Other means of identification:	Propiconazole 250 g/ℓ
Recommended Use:	Agricultural fungicide
Supplier:	ICA International Chemicals (Pty) Ltd
Address:	28 Planken Street Plankenbrug Industrial STELLENBOSCH · 7600 · SOUTH AFRICA
Telephone No:	+27-21 886 9812
Fax No:	+27-21 886 8209
Emergency Tel No:	Griffon Poison Information Centre: +27-82 446 8946 Human Poison Helpline: +27-861 555 777

2. HAZARD IDENTIFICATION

GHS Classification of product	Acute Toxicity Oral – Category 5 Skin Sensitization – Category 1 Reproductive Toxicity – Category 1B Acute Aquatic Toxicity – Category 1 Chronic Aquatic Toxicity – Category 1
-------------------------------	--

Label Elements

Classification and Labelling of Chemicals (GHS) Rev 9, 2021; Regulation EC No. 1272/2008 [EU-GHS/CLP]



Signal word

DANGER

Hazard Statements

H303 – May be harmful if swallowed
H317 – May cause an allergic skin reaction
H360 – May damage the unborn child
H410 – Very toxic to aquatic life with long lasting effects

General Precautionary Statements

P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.

Prevention Precautionary Statements

P103: Read carefully and follow all instructions.
P203: Obtain, read and follow all safety instructions before use.
P261: Avoid breathing mist/vapours/spray.
P264: Wash hands and exposed skin thoroughly after handling.
P272: Contaminated work clothing should not be allowed out of the workplace.
P273: Avoid release to the environment.

Response Precautionary Statements

P280: Wear protective gloves/protective clothing/eye and face protection.
P301 + P317: IF SWALLOWED: Get medical help.
P302 + P352: IF ON SKIN: Wash with plenty of soap and water.
P333 + P317: If skin irritation or rash occurs: Get medical help.
P318: If exposed or concerned, get medical advice.
P321: For specific treatment see first aid measures in section 4.
P362 + P364: Take off contaminated clothing and wash it before reuse.
P391: Collect spillage.

Storage Precautionary Statements
 Disposal Precautionary Statements

P405: Store locked up.
 P501: Dispose of contents and container in accordance with national regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS NO:	CONCENTRATION % (w/v)	CLASSIFICATION EC1272/2008
Propiconazole	60207-90-1	25	Acute Oral Toxicity Category 4, H302 Skin Sensitization Category 1, H317 Reproductive Toxicity Category 1B, H360 Aquatic Acute Category 1, H400 Aquatic Chronic Category 1, H410

There are no additional ingredients present which, within the current knowledge of the provider of this SDS, and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. See section 16 for legend of additional H-statements not mentioned in section 2.

4. FIRST AID MEASURES

Show this SAFETY DATA SHEET to a doctor.

- INHALATION:**
- Remove the victim from immediate source of exposure. Move victim to fresh air, if it can be done safely, and keep comfortable.
 - If victim's breathing has stopped, perform artificial respiration.
 - Administer oxygen if victim's breathing is difficult or irregular.
 - Get medical help.
- SKIN:**
- Remove and isolate contaminated clothing, shoes, and leather goods immediately and take a shower.
 - Rinse affected areas (skin) with non-abrasive soap or mild detergent and large amounts of running water. Wash contaminated clothing before reuse. Get medical help if irritation develops and persists.
- EYES:**
- Rinse eyes cautiously with clean running water for at least 15 minutes, while holding eyelids apart. Remove contact lenses after 5 minutes if present and easy to do. Continue rinsing while holding eyelids apart.
 - Seek medical help if irritation continues.
- INGESTION:**
- If swallowed, DO NOT induce vomiting, unless instructed to do so by poison control center or doctor. Rinse mouth and have person sip a glass of water if able to swallow.
 - Never give anything by mouth to an unconscious person. Get medical help.
- NOTE TO PHYSICIAN:**
- There is no specific antidote. All treatments should be based on observed signs and symptoms of distress in the patient.
- POTENTIAL HEALTH EFFECTS, ACUTE AND DELAYED**
- No significant adverse effects expected with normal use. Effects of exposure (inhalation, ingestion, or skin contact) to substance may be delayed.

5. FIRE FIGHTING MEASURES

- SUITABLE EXTINGUISHING MEDIA:**
- Small fires:** Dry chemical powder, carbon dioxide (CO₂), water spray or alcohol-resistant foam
- Large fires:** Water spray, fog, or alcohol-resistant foam
- FIRE INVOLVING TANKS:**
- Cool containers with flooding quantities of water until well after fire is out. DO NOT get water inside containers.
- UNSUITABLE EXTINGUISHING MEDIA:**
- DO NOT use high volume water jet, due to contamination risk.
- SPECIFIC EXTINGUISHING METHODS:**
- Fight fire from maximum distance. For massive fire, use unmanned hose holder or monitor nozzles. Collect contaminated extinguishing water separately; do not allow contaminated water to reach the sewage or effluent systems.
- SPECIFIC HAZARDS ARISING FROM COMBUSTION PRODUCTS:**
- In case of fire, the formation of Carbon dioxide (CO₂), Carbon monoxide (CO), Nitrogen oxides (NO_x), and Hydrogen chloride (HCl), can be expected.
- PRECAUTIONS FOR FIRE FIGHTERS:**
- Fire fighters should wear full protective gear including self-contained breathing apparatus (SCBA). Fight fire from safe distance. Evacuate nonessential personnel from the area to prevent human exposure to fire,

smoke, fumes, and vapours. Clean all clothing before reuse. Severely contaminated clothing that cannot be adequately decontaminated must be disposed of as hazardous waste. Shower with soap and water after contact with chemical product.

FURTHER INFORMATION:

- If possible, safely move undamaged intact containers away from the area around the fire.
- Keep containers cool by spraying with water if exposed to fire.
- Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.
- In case of fire and/or explosion do not breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK:

PERSONAL PRECAUTIONS:	Avoid contact with skin and eyes. Do not touch or walk through spilled material. Do not inhale spray or fumes.
PROTECTIVE EQUIPMENT:	Wear personal protective clothing and equipment (see section 8).
EMERGENCY PROCEDURES:	Keep people and animals away. Eliminate all ignition sources (no smoking, flares, sparks, or flames) from immediate area. All equipment used when handling the product must be grounded. Use water spray to reduce vapours or divert vapour cloud drift.
ENVIRONMENTAL PRECAUTIONS:	PREVENT spilled material from entering waterway and sewer systems, basements, and confined areas. If the product contaminates rivers and lakes or waterways immediately inform respective authorities.
METHODS AND MATERIALS FOR CONTAINMENT:	Contain and absorb liquid spills with inert material, remove by scoop or vacuum. Use approved industrial vacuum cleaner for removal and place in clearly marked waste containers.
METHODS AND MATERIALS FOR CLEANING UP:	Contain spillage, and then collect with non-combustible absorbent material, (e.g., sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use clean, non-sparking tools to collect absorbed material.
SECONDARY DISASTER PREVENTION MEASURES:	NA

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:	<ul style="list-style-type: none"> · Always store fungicides in their original containers, which include the label listing ingredients, directions for use, and first aid steps in case of accidental poisoning. · Never transfer fungicides to soft drink bottles or other containers. Children or others may mistake them for something to eat or drink. · Wear suitable protective clothing which include chemical-resistant overalls, footwear, socks, dust mask, eye shields and gloves. · Wash hands before eating, drinking, chewing gum, smoking, or using the toilet. Wash hands, arms, and face after application. Wash gloves and contaminated protective clothing daily before reuse.
CONDITIONS FOR SAFE STORAGE:	<ul style="list-style-type: none"> · Keep out of reach of unauthorized persons, children, and animals. Always store fungicides in their original containers, which include the label listing ingredients, in a cool, dry, and well-ventilated area out of direct sunlight. · Segregate from foods and animal feeds. · DO NOT reuse the container for any other purpose.
PACKAGING MATERIAL	HDPE Fluorinated Containers
FIRE PRECAUTIONS:	Not applicable

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

ADI – Acceptable Daily Intake	Propiconazole = 0.04 mg kg ⁻¹ bw day ⁻¹
ARfD – Acute Reference Dose	Propiconazole = 0.3 mg kg ⁻¹ bw day ⁻¹
AOEL – Accepted Operator Exposure Level	9 – 14 mg kg ⁻¹ bw day ⁻¹
NATIONAL EXPOSURE STANDARDS:	None allocated
BIOLOGICAL LIMIT VALUES:	None allocated

ENGINEERING CONTROLS:

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. If airborne mist/vapours are generated use local exhaust ventilation controls. Facilities should be equipped with an eyewash station and a safety shower. Where necessary, seek additional occupational hygiene advice.

PERSONAL PROTECTIVE EQUIPMENT:

Respiratory Protection: Where exposure through inhalation may occur when handling and/or when preparing the spray mixture, wear a face mask. If the product is used in confined spaces a respirator suitable for protection from dusts and mists of pesticides is adequate.

Hand Protection: Wear chemical-resistant gloves made of any waterproof material such as nitrile rubber. Glove thickness: 0.5 mm

Eye Protection: The use of safety goggles (full-face shield) is recommended.

Skin and Body Protection: Wear suitable protective clothing which include chemical-resistant overalls, footwear, socks, dust mask, eye shields and gloves. Remove and wash contaminated protective clothing daily.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Liquid
COLOUR:	Light brown
ODOUR:	Slight Aldehyde odour
MELTING POINT / FREEZING POINT °C:	-23 °C
BOILING POINT:	> 120 °C
DECOMPOSITION TEMPERATURE (a.i):	335 °C
FLAMMABILITY:	Not available
FLASH POINT:	86 °C
EXPLOSIVE LIMITS:	PROPICURE 250 EC is not considered an explosive
AUTO-IGNITION TEMPERATURE:	Not available
pH (1% IN WATER):	5.8 – 7.8
KINEMATIC VISCOSITY:	Not available
$\text{Kinematic viscosity} = \frac{\text{Dynamic viscosity (mPa/s)}}{\text{Density (g/cm}^3\text{)}}$	
VISCOSITY:	Not available
DENSITY / RELATIVE DENSITY:	1.09 g/mℓ
SOLUBILITY - WATER (a.i):	150 mg/L (pH 7) 20 °C
N-OCTANOL / WATER PARTITION COEFFICIENT (a.i):	log P _{ow} = 3.72 (pH 6.6) at 25 °C
VAPOUR PRESSURE (a.i):	5.6 X 10 ⁻⁰⁵ Pa at 25 °C
RELATIVE VAPOUR DENSITY:	Not available

10. STABILITY AND REACTIVITY

REACTIVITY:	Not applicable
CHEMICAL STABILITY:	Stable under normal use and storage conditions.
HAZARDOUS REACTION:	Not applicable
CONDITIONS TO AVOID: (e.g. – heat, freezing, pressure, static discharge, shock, or vibration)	Avoid excessive heat and freezing.
INCOMPATIBLE MATERIALS:	Strong acids, Strong bases, and Strong oxidizing agents.
HAZARDOUS DECOMPOSITION PRODUCTS:	When heated to decomposition, irritant or dangerous fumes/vapours may be emitted. See section 5.

11. TOXICOLOGICAL INFORMATION

	ANIMAL ACUTE TOXICITY DATA (ATE)	
ORAL:	LD ₅₀ (rat) = 2 200 mg a.i. /kg bw	Category 5
DERMAL:	LD ₅₀ (rat) = 160 000 mg a.i. /kg bw	Not Classified
INHALATION:	LC ₅₀ (4h) rat = 23.20 mg a.i. /ℓ	Not Classified
SKIN IRRITATION / CORROSION:		Not Classified

SERIOUS EYE IRRITATION / DAMAGE:		Not Classified
RESPIRATORY OR SKIN SENSITIZATION:	≥ 0.1 %	Category 1
GERM CELL MUTAGENICITY:		Not Classified
CARCINOGENICITY:		Not Classified
REPRODUCTIVE TOXICITY:	≥ 0.3 %	Category 1B
SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE:		Not Classified
SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE:		Not Classified
ASPIRATION HAZARD:		Not Classified

12. ECOLOGICAL INFORMATION

ECOTOXICITY:

PROPICONAZOLE	Birds: LD ₅₀ (oral)	<i>Anas platyrhynchos</i> (Mallard duck) Acute LD ₅₀ > 2510 mg/kg bw/day LC ₅₀ /LD ₅₀ > 5620 mg/kg diet Chronic NOEL = 25.5 mg/kg bw/day
	Fish: LC ₅₀	<i>Leiostomus xanthurus</i> (Spot croaker) Acute (96h) LC ₅₀ = 2.6 mg a.i./ℓ <i>Oncorhynchus mykiss</i> (Rainbow trout) NOEC = 0.068 mg a.i./ℓ (21-day) <i>Cyprinodon variegatus</i> (Sheepshead minnow) NOEC = 0.068 mg a.i./ℓ (100-day)
	Aquatic invertebrates - <i>Daphnia</i>	<i>Daphnia magna</i> (Water flea) Acute (48h) EC ₅₀ = 10.2 mg a.i./ℓ Chronic (21-day) NOEC = 0.31 mg a.i./ℓ
	Aquatic crustaceans	<i>Mysidopsis bahia</i> (Mysid shrimp) Acute (96h) EC ₅₀ = 0.51 mg a.i./ℓ Chronic (28-day) NOEC = 0.11 mg a.i./ℓ <i>Americamysis bahia</i> Acute (96h) LC ₅₀ = 0.37 mg a.i./ℓ
	Algae - EC ₅₀ / NOEC	<i>Pseudokirchneriella subcapitata</i> Acute (72h) EC ₅₀ = 9.0 mg a.i./ℓ Chronic NOEC = 0.46 mg a.i./ℓ <i>Navicula seminulum</i> Acute (72h) EC ₅₀ = 0.093 mg a.i./ℓ Chronic NOEC = 0.32 mg a.i./ℓ
	Bees	<i>Apis mellifera</i> Acute contact 48-hour LD ₅₀ > 100 (µg bee ⁻¹) Acute oral 48-hour LD ₅₀ > 100 (µg bee ⁻¹) Not toxic to bees
	Earthworms: LC ₅₀ / NOEC	<i>Eisenia fetida</i> Acute (14-day) LC ₅₀ = 686 mg a.i./kg d.w. soil Chronic NOEC = 6.47 mg a.i./kg d.w.

AQUATIC TOXICITY:

Summation Method

Aquatic Acute – Category 1

Aquatic Chronic – Category 1

PERSISTENCE, DEGRADABILITY AND MOBILITY:

Propiconazole is moderately persistent to persistent in the soil and slightly mobile.

DT₅₀ = 15 – 96 days

K_{oc} = 994 mL/g (limited mobility)

BIO-ACCUMULATIVE POTENTIAL:

Propiconazole is not considered bio-accumulative

Propiconazole: BCF = 180 ℓ/kg

SOIL MICRO-ORGANISMS:

Carbon transformation No significant adverse/long-term effect



Nitrogen transformation No significant adverse/long-term effect

13. DISPOSAL CONSIDERATIONS

On site disposal of the concentrated product is not acceptable. Ideally, the product should be used for its intended purpose. If there is a need to dispose of the product, approach local authorities.

TRIPLE RINSE THE EMPTY CONTAINER AS FOLLOWS: Containers must be completely emptied before being disposed of. Invert the empty container over the spray or mixing tank and drain for at least 30 seconds until the flow has slowed down to a drip. Thereafter rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler (www.croplife.co.za). Do not bury, burn, or donate the container to any other parties that may use it as a container for food or beverages.

14. TRANSPORT INFORMATION

UN NUMBER:	3082
UN PROPER SHIPPING NAME:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID (25% propiconazole)
TRANSPORT HAZARD CLASS(ES):	Class 9
PACKAGING GROUP:	III (low danger)
GHS TRANSPORT PICTOGRAM(S):	 
ENVIRONMENTAL HAZARDS:	Marine Pollutant: Yes – Category 1
TRANSPORT IN BULK:	Not applicable, not to be transported in bulk.
SPECIAL PRECAUTIONS FOR USER:	Not applicable

15. REGULATORY INFORMATION

Conforms to South Africa Regulation for Hazardous Chemical Agents, 2021.

South African Registration number L9870, Act 36 of 1947.

SDS valid for five years from date of issue.

16. OTHER INFORMATION

Legend: Full text of H-Statements referred to under sections 3:

H302 – Harmful if swallowed

H400 – Very toxic to aquatic life

Key literature references and sources of data: Occupational Health and Safety Act 1993. Regulation for Hazardous Chemical Agents, 2021. Globally Harmonized System of Classification and Labelling of Chemicals (GHS) Rev 9, 2021. UN Model Regulations Rev. 22 (2021). EU REGULATION (EC) No. 1272/2008.

This Safety Data Sheet (SDS) summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how to prevent accidents in the normal workplace including in conjunction with other products.

The information was obtained from sources which we believe are reliable. However, the information is provided in good faith. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and for these reasons we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used for this product only.

First Edition Date: 15 September 2014

Issue: 1.4 – 8 March 2023 (Section 14: Transport Information updated).

END of SDS