

# SAFETY DATA SHEET

Issue No: 1.1	First print date: June 2024
---------------	-----------------------------

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:	<b>PICOFLO 250 SC</b>
Other means of identification:	Picoxystrobin 250 g/ℓ
Recommended Use:	Agricultural Fungicide
Supplier:	ICA International Chemicals (Pty) Ltd
Address:	28 Planken Street Plankenbrug Industrial STELLENBOSCH · 7600 · SOUTH AFRICA
Telephone No:	+27-21 886 9812
Fax No:	+27-21 886 8209
Emergency Tel No:	Griffon Poison Information Centre: +27-82 446 8946 Human Poison Helpline: +27-861 555 777

## 2. HAZARD IDENTIFICATION

GHS Classification of product	Eye Damage/Irritation – Category 2 Acute Aquatic Toxicity – Category 1 Chronic Aquatic Toxicity – Category 1
-------------------------------	--

Label Elements  
Classification and Labelling of Chemicals (GHS) Rev 10, 2023; Regulation EC No. 1272/2008 [EU-GHS/CLP]



Signal word

**WARNING**

Hazard Statements

H319 – Causes serious eye irritation  
H400 – Very toxic to aquatic life  
H410 – Very toxic to aquatic life with long lasting effects

General Precautionary Statements

P101: If medical advice is needed, have product container or label at hand.  
P102: Keep out of reach of children.  
P103: Read carefully and follow all instructions.

Prevention Precautionary Statements

P264 + 265: Wash hands and exposed skin thoroughly after handling. Do not touch eyes.  
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P317: If eye irritation persists: Get medical help.  
P273: Avoid release to the environment.  
P280: Wear protective gloves, protective clothing, eye and face protection.

Response Precautionary Statements

P391: Collect spillage.

Disposal Precautionary Statements

P501: Dispose of contents and container in accordance with national regulations.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS NO:	CONCENTRATION % (w/v)	CLASSIFICATION EC 1272/2008
Picoxystrobin	117428-22-5	25	Acute Inhalation Toxicity Category 4, H332; Eye Irritation Category 2, H319; Aquatic Acute Category 1, H400; Aquatic Chronic Category 1, H410

There are no additional ingredients present which, within the current knowledge of the provider of this SDS, and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. See section 16 for legend of additional H-phrases not in section 2.

#### 4. FIRST AID MEASURES

**Show this SAFETY DATA SHEET to a doctor.**

<b>INHALATION:</b>	<ul style="list-style-type: none"> <li>• Remove the victim from immediate source of exposure. Move victim to fresh air, if it can be done safely, and keep comfortable.</li> <li>• If victim's breathing has stopped, perform artificial respiration.</li> <li>• Administer oxygen if victim's breathing is difficult or irregular. Get medical help if you feel unwell.</li> </ul>
<b>SKIN:</b>	<ul style="list-style-type: none"> <li>• Remove and isolate contaminated clothing, shoes, and leather goods immediately and take a shower.</li> <li>• Rinse affected areas (skin) cautiously with non-abrasive soap or mild detergent and large amounts of running water. Wash contaminated clothing before reuse.</li> <li>• Get medical help if irritation develops and persists.</li> </ul>
<b>EYES:</b>	<ul style="list-style-type: none"> <li>• Rinse eyes cautiously with clean running water for at least 15 minutes, while holding eyelids apart. Remove contact lenses after 5 minutes if present and easy to do.</li> <li>• Continue rinsing while holding eyelids apart. Seek medical help if irritation continues.</li> </ul>
<b>INGESTION:</b>	<ul style="list-style-type: none"> <li>• If swallowed, DO NOT induce vomiting, unless instructed to do so by poison control center or doctor.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Never give anything by mouth to an unconscious person.</li> <li>• If vomiting does occur, keep on giving fluids. Get medical help.</li> </ul>
<b>NOTE TO PHYSICIAN:</b>	<ul style="list-style-type: none"> <li>• There is no specific antidote. All treatments should be based on observed signs and symptoms of distress in the patient.</li> </ul>
<b>POTENTIAL HEALTH EFFECTS, ACUTE AND DELAYED:</b>	<ul style="list-style-type: none"> <li>• Effects of exposure (inhalation, ingestion, or skin contact) to substance may be delayed.</li> </ul>

#### 5. FIRE FIGHTING MEASURES

<b>SUITABLE EXTINGUISHING MEDIA:</b>	<p><b>Small fires:</b> Dry chemical powder, carbon dioxide (CO<sub>2</sub>), water spray or alcohol-resistant foam</p> <p><b>Large fires:</b> Water spray, fog, or alcohol-resistant foam</p>
<b>FIRE INVOLVING TANKS:</b>	Cool containers with flooding quantities of water until well after fire is out. DO NOT get water inside containers. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. Always stay away from tanks engulfed in fire.
<b>UNSUITABLE EXTINGUISHING MEDIA:</b>	DO NOT use high volume water jet, due to contamination risk.
<b>SPECIFIC EXTINGUISHING METHODS:</b>	Fight fire from maximum distance. For massive fire, use unmanned hose holder or monitor nozzles. Collect contaminated extinguishing water separately; do not allow contaminated water to reach the sewage or effluent systems.
<b>SPECIFIC HAZARDS ARISING FROM COMBUSTION PRODUCTS:</b>	In case of fire, the formation of Carbon monoxide (CO), Nitrogen oxides (NO <sub>x</sub> ), Sulphur oxides and Carbon dioxide (CO <sub>2</sub> ) can be expected.
<b>PRECAUTIONS FOR FIRE FIGHTERS:</b>	Fire fighters should wear full protective gear including self-contained breathing apparatus (SCBA). Fight fire from safe distance. Contact with the fumes and vapours should be avoided by staying upwind. Clean all clothing before reuse. Severely contaminated clothing cannot be adequately decontaminated and must be disposed as a hazardous waste. Shower with soap and water after contact with chemical product.
<b>FURTHER INFORMATION:</b>	<ul style="list-style-type: none"> <li>• If possible, safely move undamaged intact containers away from the area around the fire.</li> <li>• Keep containers cool by spraying with water if exposed to fire.</li> <li>• Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.</li> <li>• In case of fire and/or explosion do not breathe fumes.</li> </ul>

#### 6. ACCIDENTAL RELEASE MEASURES

<b>SPILL OR LEAK:</b>	
<b>PERSONAL PRECAUTIONS:</b>	Avoid contact with skin and eyes. Do not touch or walk through spilled material. Do not inhale spray or fumes.
<b>PROTECTIVE EQUIPMENT:</b>	Wear personal protective clothing and equipment (see section 8).

<b>EMERGENCY PROCEDURES:</b>	Keep people and animals away. Eliminate all ignition sources (no smoking, flares, sparks, or flames) from immediate area. All equipment used when handling the product must be grounded. Use water spray to reduce vapours or divert vapour cloud drift.
<b>ENVIRONMENTAL PRECAUTIONS:</b>	PREVENT spilled material from entering waterway and sewer systems, basements, and confined areas. If the product contaminates rivers and lakes or waterways immediately inform respective authorities.
<b>METHODS AND MATERIALS FOR CONTAINMENT:</b>	Contain and absorb liquid spills with inert material, remove by scoop or vacuum. Use approved industrial vacuum cleaner for removal and place in clearly marked waste containers.
<b>METHODS AND MATERIALS FOR CLEANING UP:</b>	Contain spillage, and then collect with non-combustible absorbent material, (e.g., sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use clean, non-sparking tools to collect absorbed material.
<b>SECONDARY DISASTER PREVENTION MEASURES:</b>	NA

## 7. HANDLING AND STORAGE

<b>PRECAUTIONS FOR SAFE HANDLING:</b>	<ul style="list-style-type: none"> <li>• Always store fungicides in their original containers, which include the label listing ingredients, directions for use, and first aid steps in case of accidental poisoning.</li> <li>• Never transfer fungicides to soft drink bottles or other containers. Children or others may mistake them for something to eat or drink.</li> <li>• Wear suitable protective clothing which include chemical-resistant overalls, footwear, socks, dust mask, eye shields and gloves.</li> <li>• Wash hands before eating, drinking, chewing gum, smoking, or using the toilet. Wash hands, arms, and face after application. Wash gloves and contaminated protective clothing daily before reuse.</li> </ul>
<ul style="list-style-type: none"> <li>- Suitable Technical Measures</li> <li>- Suitable Precautions</li> <li>- Prevention of contact</li> </ul>	
<b>CONDITIONS FOR SAFE STORAGE:</b>	<ul style="list-style-type: none"> <li>• Keep out of reach of unauthorized persons, children, and animals. Always store fungicides in their original containers, closed with original cap and the original label, in a cool, dry, and well-ventilated area out of direct sunlight.</li> <li>• Segregate from foods and animal feeds.</li> <li>• DO NOT reuse the container for any other purpose.</li> </ul>
<ul style="list-style-type: none"> <li>- Suitable Technical Measures</li> <li>- Separation measures from incompatible substances and mixtures</li> </ul>	

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

<b>ADI – Acceptable Daily Intake</b>	<b>Picoxystrobin</b> = None allocated
<b>AOEL – Accepted Operator Exposure Level</b>	<b>Picoxystrobin</b> = None allocated
<b>NATIONAL EXPOSURE STANDARDS:</b>	Not available
<b>BIOLOGICAL LIMIT VALUES:</b>	Not available
<b>ENGINEERING CONTROLS:</b>	Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. If airborne mist/vapours are generated use local exhaust ventilation controls. Facilities should be equipped with an eyewash station and a safety shower. Where necessary, seek additional occupational hygiene advice.
<b>PERSONAL PROTECTIVE EQUIPMENT:</b>	<p><b>Respiratory Protection:</b> Where exposure through inhalation may occur when handling and/or when preparing the spray mixture, wear a face mask. If the product is used in confined spaces a respirator suitable for protection from spray and mists of pesticides is adequate.</p> <p><b>Hand Protection:</b> Wear chemical-resistant gloves made of any waterproof material such as nitrile rubber. Glove thickness: 0.5 mm</p> <p><b>Eye Protection:</b> The use of safety goggles (full-face shield) is recommended.</p> <p><b>Skin and Body Protection:</b> Wear suitable protective clothing which includes chemical-resistant overalls, footwear, socks, dust mask, eye shields and gloves. Remove and wash contaminated protective clothing daily.</p>

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>PHYSICAL STATE:</b>	Liquid
<b>COLOUR:</b>	White to Off-white
<b>ODOUR:</b>	Slight Chemical odour
<b>MELTING POINT / FREEZING POINT °C:</b>	71.9 °C

<b>BOILING POINT:</b>	> 342 °C
<b>DECOMPOSITION TEMPERATURE (a.i):</b>	342 °C
<b>FLAMMABILITY:</b>	Not available
<b>EXPLOSIVE LIMITS:</b>	Not available
<b>FLASH POINT:</b>	Not available
<b>AUTO-IGNITION TEMPERATURE:</b>	Not available
<b>pH (1% IN WATER):</b>	3.0 - 6.0
<b>KINEMATIC VISCOSITY:</b>	Not available
$\text{Kinematic viscosity} = \frac{\text{Dynamic viscosity (mPa/s)}}{\text{Density (g/cm}^3\text{)}}$	
<b>VISCOSITY:</b>	Not available
<b>DENSITY / RELATIVE DENSITY:</b>	~1.08 g/mL
<b>SOLUBILITY - WATER (a.i):</b>	<b>Picoxystrobin</b> = 3.25 mg/ℓ
<b>N-OCTANOL / WATER PARTITION COEFFICIENT (a.i):</b>	<b>Picoxystrobin</b> Log P <sub>ow</sub> = 3.68
<b>VAPOUR PRESSURE (a.i):</b>	<b>Picoxystrobin</b> = 3.4 X 10 <sup>3</sup> mPa
<b>RELATIVE VAPOUR DENSITY:</b>	Not available

## 10. STABILITY AND REACTIVITY

<b>REACTIVITY:</b>	Stable under normal conditions no reaction with fire-fighting water.
<b>CHEMICAL STABILITY:</b>	Stable under normal use and storage conditions for at least 2 years.
<b>HAZARDOUS REACTION:</b>	Hazardous polymerization is not expected to occur.
<b>CONDITIONS TO AVOID:</b> (e.g. – heat, pressure, static discharge, shock, or vibration)	Avoid storage in moist or hot conditions, near to heat or ignition sources. Keep away from food, drink and open bodies of water.
<b>INCOMPATIBLE MATERIALS:</b>	None specified
<b>HAZARDOUS DECOMPOSITION PRODUCTS:</b>	When heated to decomposition, irritant or dangerous fumes/vapours may be emitted. See section 5.

## 11. TOXICOLOGICAL INFORMATION

	<b>ANIMAL ACUTE TOXICITY DATA (ATE)</b>	
<b>ORAL:</b>	LD <sub>50</sub> (rat) > 5000 mg a.i. /kg bw	Not Classified
<b>DERMAL:</b>	LD <sub>50</sub> (rat) > 5000 mg a.i. /kg bw	Not Classified
<b>INHALATION:</b>	LC <sub>50</sub> (4h) rat > 5 mg a.i./ℓ	Not Classified
<b>SKIN IRRITATION / CORROSION:</b>		Not Classified
<b>SERIOUS EYE IRRITATION / DAMAGE:</b>	≥ 10%	<b>Category 2</b>
<b>RESPIRATORY OR SKIN SENSITIZATION:</b>		Not Classified
<b>GERM CELL MUTAGENICITY:</b>		Not Classified
<b>CARCINOGENICITY:</b>		Not Classified
<b>REPRODUCTIVE TOXICITY:</b>		Not Classified
<b>SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE:</b>		Not Classified
<b>SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE:</b>		Not Classified
<b>ASPIRATION HAZARD:</b>		Not Classified

## 12. ECOLOGICAL INFORMATION

<b>ECOTOXICITY:</b>		
<b>PICOXYSTROBIN</b>	Birds: LD <sub>50</sub> (oral)	<i>Colinus virginianus</i> (Bobwhite Quail) Acute LD <sub>50</sub> > 2250mg/kg bw/day LC <sub>50</sub> /LD <sub>50</sub> > 5000 mg/kg bw/day diet <i>Anas platyrhynchos</i> (Mallard duck) Chronic NOEL (21-day) = 110.3 mg/kg bw/day
	Fish: LC <sub>50</sub>	<i>Oncorhynchus mykiss</i> (Rainbow trout) Acute (96h) LC <sub>50</sub> = 0.075 mg a.i./ℓ NOEC = 0.01 mg a.i./ℓ (21-day) <i>Danio rerio</i> (Zebra fish embryo) Acute (96h) LC <sub>50</sub> > 0.082 mg a.i./ℓ

Aquatic invertebrates – <i>Daphnia</i>	<i>Daphnia magna</i> (Water flea) Acute (48h) EC <sub>50</sub> = 0.024 mg a.i./ℓ Chronic NOEC (21-day) = 0.008 mg a.i./ℓ
Aquatic Sediment Dwelling Organism	<i>Chironomus riparius</i> Chronic NOEC (21-day) = 0.0084 mg a.i./ℓ (static)
Algae - EC <sub>50</sub> / NOEC	<i>Raphidocelis subcapitata</i> Acute (72h) EC <sub>50</sub> = 0.056 mg a.i./ℓ
Bees	<i>Apis mellifera</i> Acute contact 48-hour LD <sub>50</sub> > 200 (μg.bee <sup>-1</sup> ) Acute oral 48-hour LD <sub>50</sub> > 200 (μg.bee <sup>-1</sup> )
Earthworms: LC <sub>50</sub> /NOEC	<i>Eisenia fetida</i> Acute (14-day) LC <sub>50</sub> = 3.35 mg a.i./kg d.w. soil (high) Chronic NOEC = 0.315 mg a.i./kg (reproduction)

**AQUATIC TOXICITY:**

**Summation Method**

Aquatic Acute – **Category 1**

Aquatic Chronic – **Category 1**

**PERSISTENCE, DEGRADABILITY AND MOBILITY:**

**Picoxystrobin** is non-persistent in the soil and slightly mobile.

DT<sub>50</sub> = 2.6 – 37 days

K<sub>oc</sub> = 965 (slightly mobile)

**BIO-ACCUMULATIVE POTENTIAL:**

Picoxystrobin: BCF = 290 ℓ/kg (Threshold for concern)

**SOIL MICRO-ORGANISMS:**

Carbon transformation

No significant adverse/long-term effect

Nitrogen transformation

No significant adverse/long-term effect

**13. DISPOSAL CONSIDERATIONS**

On site disposal of the concentrated product is not acceptable. Ideally, the product should be used for its intended purpose. If there is a need to dispose of the product, approach local authorities.

**TRIPLE RINSE THE EMPTY CONTAINER AS FOLLOWS:** Containers must be completely emptied before being disposed of. Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to a drip. Thereafter, rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler ([www.croplife.co.za](http://www.croplife.co.za)). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages.

**14. TRANSPORT INFORMATION**

**UN NUMBER:**

3082

**UN PROPER SHIPPING NAME:**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S (25 % picoxystrobin)

**TRANSPORT HAZARD CLASS(ES):**

Class 9

**PACKING GROUP:**

III (low danger)

**TRANSPORT PICTOGRAMS:**



**ENVIRONMENTAL HAZARD:**

Marine Pollutant: **Yes – Category 1**

**TRANSPORT IN BULK:**

Not applicable, not to be transported in bulk.

**SPECIAL PRECAUTIONS FOR USER:**

Not applicable

**15. REGULATORY INFORMATION**

Conform to South African Regulation for Hazardous Chemical Agents, 2021.

Product: South African registration number L11542, Act 36 of 1947.

SDS valid for five years from date of issue.

**16. OTHER INFORMATION**

**Legend:** Full text of H-Statements referred to under sections 3:

H332 – Harmful if inhaled.

**Key literature references and sources of data:** Occupational Health and Safety Act 1993. Regulation for Hazardous Chemical Agents, 2021. Globally Harmonized System of Classification and Labelling of Chemicals (GHS) Rev 10, 2023. UN Model Regulations Rev. 22 (2023). EU REGULATION (EC) No. 1272/2008.

This Safety Data Sheet (SDS) summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how to prevent accidents in the normal workplace including in conjunction with other products.

The information was obtained from sources which we believe are reliable. However, the information is provided in good faith. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and for these reasons we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used for this product only.

First Edition Date: March 2024

1.1 – 21-06-2024 (update section 9).

END of SDS