Protector 400 SC

Reg. No. L8606 (Act 36 of 1947) Warning. May be harmful if swallowed, May be harmful in contact with skin, Harmful if inhaled, Cause mild skin irritation, Causes eye irritation, Toxic to aquatic life with long lasting effects.

Always adhere to label



24 h Curative

Protective

Composition:

- Pyrimethanil 400 g/ℓ (FRAC 9)

Recommended Application & Dosage:

- Pre-packhouse drench / bath or in-line drench: 250 mℓ/100 ℓ water for 1000 ppm pyrimethanil
- Wax: 250 mℓ/25 ℓ wax for 4000 ppm pyrimethanil

Top Up:

- Apply at a rate, of 250 mℓ Protector 400 SC for every 100 ℓ of fresh water added to drench or fungicide bath
- Top up with 5 mℓ of Protector 400 SC to water mixture for every ton of fruit treated

Purpose:

- To control blue & green mould (*Penicillium* spp.)
- To control imazalil resistant *Penicillium* spp. populations

Available in:

5 ℓ

Effective residue loading:

1 – 2 mg/kg

- Depends on fruit type, temperature of mixture and application

Test Kit Available:



WATCH INSTRUCTION VIDEO

Tips:

- Agitate treatment mixture continuously
- Higher residue loading occur with increased treatment mixture temperatures. Do not apply on lemons in heated mixtures