Teacher 230 SC

Reg. No. L9919 (Act 36 of 1947) Warning. May cause an allergic skin reaction, Very toxic to aquatic life with long lasting effects.

Always adhere to label



12 h Curative

Protective

Composition:

- Fludioxonil 230 g/ℓ (FRAC 12)

Recommended Application & Dosage:

- Pre-packhouse drench / bath or in-line drench: 260 mℓ/100 ℓ water for 600 ppm fludioxonil
- Wax: 250 – 500 mℓ / 25 ℓ wax (if application is only in the wax, use the higher dosage)

Top Up:

- Apply at a rate of 260 mℓ Teacher 230 SC for every 100 ℓ of fresh water
- Top up with 8 mℓ Teacher 230 SC to water mixture for every ton of fruit treated

Purpose:

- To control blue & green mould (*Penicillium* spp.) and imazalil and/or pyrimethanil resistant *Penicillium* strains
- Wax application - effective *Penicillium* sporulation suppression

Available in:

1 ℓ

Effective residue loading:

0.8 – 1.5 mg/kg

- Depends on fruit type and application

Test Kit Available:



WATCH INSTRUCTION VIDEO

Tips:

- Alternative to imazalil for resistance control
- When applied in drench or bath as well as wax, use lower rate (250 mℓ/25 ℓ) in the wax
- Agitate treatment mixture continuously
- Can be applied in a heated mixture